

# OFF ROAD





# RIDE WITHOUT COMPROMISE.

Where the pavement ends, the frontier begins. CFMOTO brings you three categories of off-road vehicles to experience more together. We're breaking new ground with high quality, high-functioning, affordable alternatives to the competition.

Our standard features are their high-cost add-ons. And you don't have to break the bank to break a trail. We're excited you've discovered what so many others already have. The ability to ride without compromise.

# CONTENTS

## U**FORCE**

	PAGES
1000 <b>EPS</b>	9
1000 <b>EPS Hunter</b>	10
800 <b>EPS</b>	11
550 <b>EPS</b>	12
550	13

## Z**FORCE**

	PAGES
1000 <b>EPS</b>	14-15

## C**FORCE**

	PAGES
1000 <b>EPS</b>	17
850 <b>EPS</b>	18
600 <b>EPS</b>	19
520 <b>EPS Farm Spec</b>	20
520 <b>EPS</b>	21
400 <b>EPS LE</b>	22
400	23

THE WHEELS WE

PUT

IN MOTION

ARE BUILT TO STAY IN MOTION.

Three decades ago, we embarked on an ambitious journey. To become a major supplier of engines, parts and components for the up-and-coming off-road vehicle industry. We started with engines and engineered our way to the refined machines you see today. From the beginning, it has been our highest priority to invest in state-of-the-art technology, extensive R&D and the highest standards of quality control.



**GLOBAL HEADQUARTERS**  
**HANGZHOU, CHINA**

Research & Development  
ORV Assembly  
Machining  
Engine Assembly  
Painting  
Frame Plant  
Robotic Frame Welding  
Logistics  
Smart Manufacturing

**AUSTRALIA**  
**MELBOURNE, VIC**

Sales  
Service/Warranty  
Parts  
Marketing



**THE WHEEL WAS INVENTED  
THOUSANDS OF YEARS AGO.  
LOOK HOW FAR IT HAS ROLLED.**

Encompassing 1.6 million square feet, our factory in Hangzhou, China, is an impressive place. It has to be. When you build a product for the world, you have to think on a global scale. One, to meet demand. Two, to bring your product to market at an affordable price. This year, we will build hundreds of thousands of units and deliver them worldwide. It has taken countless inventions to make this possible. Needless to say, we still owe a lot to those who put the first wheels of progress in motion.

SOME PEOPLE GET

**MORE**

**OUT  
OF LIFE.**

MAY YOU RIDE AMONG THEM.





There is a place on this earth where your internal compass can find its true north. The verdant forest. The painted desert. The grassy heartland. Out here, walls are made of fresh air, ceilings are blue sky and doors, well, they don't exist. These places sharpen our senses, test our mettle and bring out our greatest strengths. Being connected to nature—in the company of friends—is one of life's great rewards. Some of us get to work out here. For others it's a calling—hunting, fishing, camping, exploring. Perhaps it's simply the urge to ride from dawn 'til dusk. One thing we know to be true—being here is a privilege. Fortunately, financial privilege is not a requirement to EXPERIENCE MORE TOGETHER.

 **CFMOTO**  
EXPERIENCE MORE TOGETHER

# THE NEW LEADER

## UFORCE



### ENGINE

- V-TWIN, 8 VALVE, SOHC, 4 STROKE
- DISPLACEMENT 962.6CC
  - 71HP @ 7000RPM
  - 74NM @ 6500RPM
- COMPRESSION RATIO 10.6:1
- BOSCH EFI WITH 'FLY BY WIRE' ACCELERATOR



### REAR LIMITED SLIP DIFFERENTIAL

- WHEN LOSS OF TRACTION OF ONE REAR WHEEL THE OTHER WILL ENGAGE TO GAIN TRACTION AND MINIMISE LOSS OF FORWARD MOMENTUM
- ALLOWS A TIGHTER TURNING RADIUS OF 8.2M
- TURF MODE: DOES NOT TEAR UP THE GROUND

Enter the all new UFORCE 1000 EPS, our toughest UTV yet! Featuring a workable 71 horsepower V-twin liquid-cooled engine with bigger tow and carry capacities, a practical 3-person bench seat, oversized fuel tank, large capacity cargo tray, rear limited slip differential (LSD) and beefy good looks. This CFMOTO side-by-side is sure to round up a lot of attention and the only thing that isn't big about the UFORCE 1000 EPS is the price.

**UFORCE**  
**1000**  
EPS



## STANDOUT FEATURES

- 71 HORSEPOWER CFMOTO 1000CC V-TWIN ENGINE
  - CANADIAN CVTECH TRANSMISSION
- 2WD/4WD AND A LOCKING FRONT DIFFERENTIAL
  - REAR LIMITED SLIP DIFFERENTIAL (LSD)
  - ELECTRONIC POWER STEERING (EPS)
  - TIGHTER TURNING CIRCLE OF 8.2M
- 14 INCH ALLOY WHEELS WITH 27 INCH 8 PLY CST TYRES
- 3 PERSON BENCH SEAT WITH DRIVER SEAT ADJUSTABILITY
  - 75.5 LITRES OF SMART IN CABIN STORAGE
  - GENUINE CFMOTO ROOF KIT
  - 800KG TOW CAPACITY
  - 350KG REAR TRAY CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD
- \*\*3 YEAR FACTORY WARRANTY

### ENGINE

- 71 HP, 1000CC V-TWIN, LIQUID COOLED, EFI, 4 STROKE ENGINE
  - BOSCH EFI WITH 'FLY BY WIRE' ACCELERATOR (THROTTLE)
  - TOUGH CANADIAN CVTECH TRANSMISSION
- SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
  - REAR LIMITED SLIP DIFFERENTIAL (LSD)
  - L-H-N-R RANGE, PLUS HANDBRAKE
  - ELECTRONIC POWER STEERING (EPS)

### SUSPENSION / BRAKES

- INDEPENDENT DUAL A-ARM SUSPENSION
- ALL 4 WHEEL HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 14 INCH ALLOY WHEELS
- 27 INCH CST STAG TYRES WITH A TOUGH 8 PLY RATING

### CAPACITIES / DIMENSIONS

- CARGO TRAY 1340 X 863 X 293 MM
- 40 L FUEL TANK
- 3 PERSON

### COLOUR

- AVAILABLE IN BLUE OR SILVER



\*\*SUPPORTED BY A 3 YEAR FACTORY WARRANTY PROGRAM. TERMS AND CONDITIONS APPLY.

**UFORCE**  
**1000**  
**EPHUNTER**



## STANDOUT FEATURES

- 71 HORSEPOWER CFMOTO 1000CC V-TWIN ENGINE
  - CANADIAN CVTECH TRANSMISSION
- 2WD/4WD AND A LOCKING FRONT DIFFERENTIAL
  - REAR LIMITED SLIP DIFFERENTIAL (LSD)
  - ELECTRONIC POWER STEERING (EPS)
- HUNTER EDITION UV RESISTANT ARMY CAMOUFLAGE WRAP
  - HUNTER HALF DOOR KIT IN CAMOUFLAGE
- HUNTER FULL BAR KIT INCLUDING FRONT PROTECTOR BAR, BONNET RACK, SIDE BARS AND REAR BAR
  - HUNTER 3500LB WINCH
  - HUNTER ALLOY A-ARM GUARDS
- 14 INCH ALLOY WHEELS WITH 27 INCH 8 PLY CST TYRES
  - 75.5 LITRES OF SMART IN CABIN STORAGE
  - GENUINE CFMOTO ROOF KIT
  - 800KG TOW CAPACITY
  - 350KG REAR TRAY CAPACITY
  - \*\*3 YEAR FACTORY WARRANTY

### ENGINE

- 71 HP, 1000CC V-TWIN, LIQUID COOLED, EFI, 4 STROKE ENGINE
  - BOSCH EFI WITH 'FLY BY WIRE' ACCELERATOR (THROTTLE)
  - TOUGH CANADIAN CVTECH TRANSMISSION
- SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
  - REAR LIMITED SLIP DIFFERENTIAL (LSD)
  - L-H-N-R RANGE, PLUS HANDBRAKE
  - ELECTRONIC POWER STEERING (EPS)

### SUSPENSION / BRAKES

- INDEPENDENT DUAL A-ARM SUSPENSION
- ALL 4 WHEEL HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 14 INCH ALLOY WHEELS
- 27 INCH CST STAG TYRES WITH A TOUGH 8 PLY RATING

### CAPACITIES / DIMENSIONS

- CARGO TRAY 1340 X 863 X 293 MM
- 40 L FUEL TANK
- 3 PERSON

### COLOUR

- AVAILABLE IN HUNTER CAMOUFLAGE

**UFORCE**  
**800**  
EPS



## STANDOUT FEATURES

- 62 HORSEPOWER CFMOTO 800CC V-TWIN ENGINE
- CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
- 2WD/4WD AND A LOCKING FRONT DIFFERENTIAL
  - ELECTRONIC POWER STEERING (EPS)
  - GENUINE CFMOTO ROOF KIT
- DUAL A-ARM INDEPENDENT SUSPENSION
- 14 INCH ALLOY WHEELS WITH 26 INCH 6 PLY CST TYRES
  - GAS ASSISTED REAR TIP TRAY
  - ROPS CERTIFIED ROLL CAGE
  - 550 KG TOW CAPACITY
  - 230 KG REAR TRAY CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD
- 2 YEAR FACTORY WARRANTY

### ENGINE

- 62 HP, 800CC V-TWIN, LIQUID COOLED, EFI, 4 STROKE ENGINE
- TOUGH CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
- SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
  - L-H-N-R RANGE, PLUS HANDBRAKE
  - ELECTRONIC POWER STEERING (EPS)

### SUSPENSION / BRAKES

- INDEPENDENT DUAL A-ARM SUSPENSION
  - HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 14 INCH ALLOY WHEELS
- 26 INCH 6 PLY CST TYRES

### CAPACITIES / DIMENSIONS

- CARGO TRAY 1200 X 790 X 310 MM
- 26 L FUEL TANK
- 2 PERSON

### COLOUR

- AVAILABLE IN BLUE OR RED

**U-FORCE**  
**550**  
EPS



## STANDOUT FEATURES

- 38 HORSEPOWER CFMOTO 500CC SINGLE CYLINDER ENGINE
  - CANADIAN CVTECH TRANSMISSION
- 2WD/4WD AND A LOCKING FRONT DIFFERENTIAL
  - ELECTRONIC POWER STEERING (EPS)
  - GENUINE CFMOTO ROOF KIT
- DUAL A-ARM INDEPENDENT SUSPENSION
- 14 INCH ALLOY WHEELS WITH 26 INCH 6 PLY CST TYRES
  - GAS ASSISTED REAR TIP TRAY
  - ROPS CERTIFIED ROLL CAGE
  - 550 KG TOW CAPACITY
  - 230 KG REAR TRAY CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD
  - 2 YEAR FACTORY WARRANTY

### ENGINE

- 38 HP, 500CC SINGLE CYLINDER, LIQUID COOLED, EFI, 4 STROKE ENGINE
  - TOUGH CANADIAN CVTECH TRANSMISSION
- SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
  - L-H-N-R RANGE, PLUS HANDBRAKE
  - ELECTRONIC POWER STEERING (EPS)

### SUSPENSION / BRAKES

- INDEPENDENT DUAL A-ARM SUSPENSION
  - HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 14 INCH ALLOY WHEELS
- 26 INCH 6 PLY CST TYRES

### CAPACITIES / DIMENSIONS

- CARGO TRAY 1200 X 790 X 310 MM
  - 26 L FUEL TANK
  - 2 PERSON

### COLOUR

- AVAILABLE IN BLUE OR RED

**UFORCE**  
**550**



## STANDOUT FEATURES

- 38 HORSEPOWER CFMOTO 500CC SINGLE CYLINDER ENGINE
  - CANADIAN CVTECH TRANSMISSION
- 2WD/4WD AND A LOCKING FRONT DIFFERENTIAL
  - DUAL A-ARM INDEPENDENT SUSPENSION
- 14 INCH ALLOY WHEELS WITH 26 INCH 6 PLY CST TYRES
  - GAS ASSISTED REAR TIP TRAY
  - ROPS CERTIFIED ROLL CAGE
  - 550 KG TOW CAPACITY
  - 230 KG REAR TRAY CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD
  - 2 YEAR FACTORY WARRANTY

### ENGINE

- 38 HP, 500CC SINGLE CYLINDER, LIQUID COOLED, EFI, 4 STROKE ENGINE
  - TOUGH CANADIAN CVTECH TRANSMISSION
- SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
  - L-H-N-R RANGE, PLUS HANDBRAKE

### SUSPENSION / BRAKES

- INDEPENDENT DUAL A-ARM SUSPENSION
  - HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 14 INCH ALLOY WHEELS
- 26 INCH 6 PLY CST TYRES

### CAPACITIES / DIMENSIONS

- CARGO TRAY 1200 X 790 X 310 MM
  - 26 L FUEL TANK
  - 2 PERSON

### COLOUR

- AVAILABLE IN BLUE



**ZFORCE**

UNLOCK YOUR  
**SEASONS  
PASS**  
TO  
ADVENTURE

When you can't find a path to adventure, make your own. The ZFORCE 1000 EPS is your season pass to adventure. And it's all yours at an incredible value—as you'll see by the long list of standard features.

**ZFORCE**  
**1000**  
EPS



## STANDOUT FEATURES

- 80 HORSEPOWER CFMOTO 1000CC V-TWIN ENGINE
  - CANADIAN CVTECH TRANSMISSION
- 2WD/4WD AND A LOCKING FRONT DIFFERENTIAL
  - ELECTRONIC POWER STEERING (EPS)
- INDEPENDENT DOUBLE A-ARM SUSPENSION WITH REMOTE RESERVOIR AND FULLY ADJUSTABLE SHOCKS
  - 14 INCH ALLOY WHEELS WITH 27 INCH CST TYRES
- ZFORCE 4 POINT SAFETY HARNESS & QUARTER SIDE DOORS
- ZFORCE SPORTS SEATS WITH ADJUSTABLE SPORTS STEERING WHEEL
- GENUINE WINCH, ROOF KIT AND HALF WINDSCREEN AS STANDARD FEATURES
  - 500KG TOW CAPACITY
  - 260KG REAR CARGO CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD FEATURES
- 12 MONTH FACTORY WARRANTY



### ENGINE

- 80 HP, 1000CC V-TWIN, LIQUID COOLED, EFI, 4 STROKE ENGINE
  - BOSCH EFI WITH 'FLY BY WIRE' ACCELERATOR (THROTTLE)
  - TOUGH CANADIAN CVTECH TRANSMISSION
- SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
  - L-H-N-R RANGE, PLUS HANDBRAKE
  - ELECTRONIC POWER STEERING (EPS)

### SUSPENSION / BRAKES

- INDEPENDENT DOUBLE A-ARM SUSPENSION WITH REMOTE RESERVOIR AND FULLY ADJUSTABLE SHOCKS
- ALL 4 WHEEL HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 14 INCH ALLOY WHEELS
- 27 INCH CST TYRES

### CAPACITIES / DIMENSIONS

- 310 MM GROUND CLEARANCE
- 27 L FUEL TANK
- 2 PERSON

### COLOUR

- AVAILABLE IN RED



**CFORCE**

HOW DO YOU ANSWER THE  
**CALL OF**  
**THE WILD?**  
**THROTTLE.**

Why do we ride? Instinct. Humans have evolved to throw a leg over the saddle, and charge forward. So we work hard to keep the price of these ATVs low—that way everyone can ride. If you haven't tried a CFMOTO on for size, it's time to evolve.

**CFORCE**  
**1000**  
EPS



## STANDOUT FEATURES

- 80 HORSEPOWER CFMOTO 1000CC V-TWIN ENGINE
  - CANADIAN CVTECH TRANSMISSION
- 2WD/4WD MODES WITH LOCKABLE FRONT DIFFERENTIAL
  - REAR LIMITED SLIP DIFFERENTIAL (LSD)
  - ELECTRONIC POWER STEERING (EPS)
  - LONG WHEELBASE, DUAL SEAT
- ALL 4 WHEEL HYDRAULIC DISC BRAKES
  - 3000LB WINCH
  - 14 INCH ALLOY WHEELS
  - 27 INCH 8 PLY CST STAG TYRES
- INTEGRATED FRONT AND REAR CARRIER RACKS
  - HAND GUARDS
  - 450KG TOW CAPACITY
  - 288KG CARRY CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD
- 2 YEAR FACTORY WARRANTY

### ENGINE

- 80 HP, 1000CC V-TWIN, LIQUID COOLED, EFI, 4 STROKE ENGINE
  - TOUGH CANADIAN CVTECH TRANSMISSION
- SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
  - REAR LIMITED SLIP DIFFERENTIAL (LSD)
  - L-H-N-R RANGE AND PARK
- ELECTRONIC POWER STEERING (EPS)

### SUSPENSION / BRAKES

- INDEPENDENT ADJUSTABLE DUAL A-ARM SUSPENSION
- ALL 4 WHEEL HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 14 INCH ALLOY WHEELS
- 27 INCH 8 PLY CST STAG TYRES

### CAPACITIES / DIMENSIONS

- 30 L FUEL TANK
- 2 PERSON - LONG WHEELBASE, DUAL SEAT

### COLOUR

- AVAILABLE IN ORANGE OR CAMOUFLAGE

GEORCE  
**850**  
EPS



## STANDOUT FEATURES

- 64 HORSEPOWER CFMOTO 800CC V-TWIN ENGINE
  - CANADIAN CVTECH TRANSMISSION
- 2WD/4WD MODES WITH LOCKABLE FRONT DIFFERENTIAL
  - REAR DIFFERENTIAL (TURF MODE)
- ELECTRONIC POWER STEERING (EPS)
  - LONG WHEELBASE, DUAL SEAT
- ALL 4 WHEEL HYDRAULIC DISC BRAKES
  - 3000LB WINCH
  - 14 INCH ALLOY WHEELS
  - 27 INCH 6 PLY CST TYRES
- INTEGRATED FRONT AND REAR CARRIER RACKS
  - HAND GUARDS
  - 450KG TOW CAPACITY
  - 288KG CARRY CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD
  - 2 YEAR FACTORY WARRANTY

### ENGINE

- 64 HP, 800CC V-TWIN, LIQUID COOLED, EFI, 4 STROKE ENGINE
  - TOUGH CANADIAN CVTECH TRANSMISSION
- SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
  - REAR DIFFERENTIAL (TURF MODE)
  - L-H-N-R RANGE AND PARK
- ELECTRONIC POWER STEERING (EPS)

### SUSPENSION / BRAKES

- INDEPENDENT ADJUSTABLE DUAL A-ARM SUSPENSION
- ALL 4 WHEEL HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 14 INCH ALLOY WHEELS
- 27 INCH 6 PLY CST TYRES

### CAPACITIES / DIMENSIONS

- 30 L FUEL TANK
- 2 PERSON - LONG WHEELBASE, DUAL SEAT

### COLOUR

- AVAILABLE IN ORANGE OR CAMOUFLAGE

**GEORGE**  
**600**  
EPS



## STANDOUT FEATURES

- 40 HORSEPOWER CFMOTO 600CC SINGLE CYLINDER ENGINE
- CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
  - 2WD/4WD MODES
- BOTH FRONT AND REAR LOCKING DIFFERENTIAL (TURF MODE)
  - ELECTRONIC POWER STEERING (EPS)
  - LONG WHEELBASE, DUAL SEAT
- ALL 4 WHEEL HYDRAULIC DISC BRAKES
  - 2500LB WINCH
  - 12 INCH ALLOY WHEELS
  - 25 INCH 6 PLY CST TYRES
- STEEL FRONT AND REAR CARRIER RACKS
  - HAND GUARDS
  - 350KG TOW CAPACITY
- 35KG FRONT / 70KG REAR CARRIER RACK CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD
- 2 YEAR FACTORY WARRANTY

### ENGINE

- 40 HP, 600CC SINGLE CYLINDER, LIQUID COOLED, EFI, 4 STROKE ENGINE
- TOUGH CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
  - SELECTABLE 2WD/4WD MODES
- BOTH FRONT AND REAR LOCKING DIFFERENTIAL (TURF MODE)
  - L-H-N-R RANGE AND PARK
- ELECTRONIC POWER STEERING (EPS)

### SUSPENSION / BRAKES

- INDEPENDENT DUAL A-ARM SUSPENSION
- ALL 4 WHEEL HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 12 INCH ALLOY WHEELS
- 25 INCH 6 PLY CST TYRES

### CAPACITIES / DIMENSIONS

- 18 L FUEL TANK
- 2 PERSON - LONG WHEELBASE, DUAL SEAT

### COLOUR

- AVAILABLE IN ORANGE OR CAMOUFLAGE

**CFORCE**  
**520**  
**EPFARMSPEC**



## STANDOUT FEATURES

- 38 HORSEPOWER CFMOTO 500CC SINGLE CYLINDER ENGINE
- CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
  - 2WD/4WD MODES WITH LOCKABLE FRONT DIFFERENTIAL
  - ELECTRONIC POWER STEERING (EPS)
  - FARM SPEC PROTECTOR BARS
  - FARM SPEC ALLOY A-ARM GUARDS
  - FARM SPEC 2500LB WINCH
  - 12 INCH ALLOY WHEELS
  - 25 INCH 6 PLY INNOVA TYRES
- STEEL FRONT AND REAR CARRIER RACKS
  - HAND GUARDS
  - 350KG TOW CAPACITY
  - 35KG FRONT / 70KG REAR CARRIER RACK CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD
- 2 YEAR FACTORY WARRANTY

### ENGINE

- 38 HP, 500CC SINGLE CYLINDER, LIQUID COOLED, EFI, 4 STROKE ENGINE
- TOUGH CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
  - SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
  - L-H-N-R RANGE AND PARK
- ELECTRONIC POWER STEERING (EPS)

### SUSPENSION / BRAKES

- INDEPENDENT DUAL A-ARM SUSPENSION
  - HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 12 INCH ALLOY WHEELS
- 25 INCH 6 PLY INNOVA TYRES

### CAPACITIES / DIMENSIONS

- 18 L FUEL TANK
- 1 PERSON

### COLOUR

- AVAILABLE IN BLUE

**CFORCE**  
**520**  
EPS



## STANDOUT FEATURES

- 38 HORSEPOWER CFMOTO 500CC SINGLE CYLINDER ENGINE
- CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
  - 2WD/4WD MODES WITH LOCKABLE FRONT DIFFERENTIAL
  - ELECTRONIC POWER STEERING (EPS)
  - 12 INCH ALLOY WHEELS
  - 25 INCH 6 PLY INNOVA TYRES
  - 2500LB WINCH
- STEEL FRONT AND REAR CARRIER RACKS
  - HAND GUARDS
  - 350KG TOW CAPACITY
- 35KG FRONT / 70KG REAR CARRIER RACK CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD
- 2 YEAR FACTORY WARRANTY

### ENGINE

- 38 HP, 500CC SINGLE CYLINDER, LIQUID COOLED, EFI, 4 STROKE ENGINE
- TOUGH CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
  - SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
  - L-H-N-R RANGE AND PARK
- ELECTRONIC POWER STEERING (EPS)

### SUSPENSION / BRAKES

- INDEPENDENT DUAL A-ARM SUSPENSION
- HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 12 INCH ALLOY WHEELS
- 25 INCH 6 PLY INNOVA TYRES

### CAPACITIES / DIMENSIONS

- 18 L FUEL TANK
- 1 PERSON

### COLOUR

- AVAILABLE IN RED

**GFORCE**  
**400**  
**EPSLE**



## STANDOUT FEATURES

- 30 HORSEPOWER CFMOTO 400CC SINGLE CYLINDER ENGINE
- CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
  - 2WD/4WD MODES WITH LOCKABLE FRONT DIFFERENTIAL
    - LE ELECTRONIC POWER STEERING (EPS)
    - LE 12 INCH ALLOY WHEELS
    - LE 2500LB WINCH
- STEEL FRONT AND REAR CARRIER RACKS
  - HAND GUARDS
  - 350KG TOW CAPACITY
- 35KG FRONT / 70KG REAR CARRIER RACK CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD
- 2 YEAR FACTORY WARRANTY

### ENGINE

- 30 HP, 400CC SINGLE CYLINDER, LIQUID COOLED, EFI, 4 STROKE ENGINE
- TOUGH CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
  - SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
    - L-H-N-R RANGE AND PARK
- ELECTRONIC POWER STEERING (EPS)

### SUSPENSION / BRAKES

- INDEPENDENT DUAL A-ARM SUSPENSION
  - HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 12 INCH ALLOY WHEELS
- 24 INCH 4 PLY CST TYRES

### CAPACITIES / DIMENSIONS

- 15 L FUEL TANK
- 1 PERSON

### COLOUR

- AVAILABLE IN BLUE OR RED

# 400



## STANDOUT FEATURES

- 30 HORSEPOWER CFMOTO 400CC SINGLE CYLINDER ENGINE
- CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
  - 2WD/4WD MODES WITH LOCKABLE FRONT DIFFERENTIAL
  - 12 INCH STEEL WHEELS
- STEEL FRONT AND REAR CARRIER RACKS
  - HAND GUARDS
  - 350KG TOW CAPACITY
- 35KG FRONT / 70KG REAR CARRIER RACK CAPACITY
- TOW PACKAGE, INDICATORS, HORN AND MIRRORS AS STANDARD
- 2 YEAR FACTORY WARRANTY

### ENGINE

- 30 HP, 400CC SINGLE CYLINDER, LIQUID COOLED, EFI, 4 STROKE ENGINE
- TOUGH CANADIAN CVTECH TRANSMISSION WITH ENGINE BRAKING
  - SELECTABLE 2WD/4WD MODES WITH LOCKABLE FRONT DIFF
  - L-H-N-R RANGE AND PARK

### SUSPENSION / BRAKES

- INDEPENDENT DUAL A-ARM SUSPENSION
- HYDRAULIC DISC BRAKES

### WHEELS / TYRES

- 12 INCH STEEL WHEELS
- 24 INCH 4 PLY CST TYRES

### CAPACITIES / DIMENSIONS

- 15 L FUEL TANK
- 1 PERSON

### COLOUR

- AVAILABLE IN BLUE

# CUSTOMISE YOUR CFMOTO





Customise your CFMoto to your needs with the great range of Genuine CFMoto Parts and Accessories. Not only do these enhance the look of your vehicle, they will protect it and most importantly fit correctly to your CFMoto.

Select nothing but the best by choosing Genuine CFMoto Parts and Accessories and get more out of your workday.

# SPECS

## ENGINE & TRANSMISSION

### ENGINE TYPE

### DISPLACEMENT

### MAX POWER

### MAX TORQUE

### FUEL SYSTEM

### TRANSMISSION

### DRIVE

### 4WD

### REAR DIFFERENTIAL

### STEERING

## RIDE

### SUSPENSION

### BRAKES

### WHEELS

### TYRES

## DIMENSIONS

### L X W X H

### WHEEL BASE

### GROUND CLEARANCE

### DRY WEIGHT

## LOAD

### TOWING CAPACITY

### CARRY CAPACITY

### CARGO TRAY DIMENSIONS

### FUEL CAPACITY

### ROLL CAGE

### PERSON

## FEATURES

### COLOUR

### WARRANTY

### TOW PAK, HORN, LIGHTS & MIRRORS

**550**

**550**  
EPS

**800**  
EPS

**1000**  
EPS

**1000**  
EPShunter

**1000**  
EPS


Single cylinder, liquid cooled, EFI, 4 stroke engine

495cc

38 HP

46 NM

Bosch EFI

Canadian CVTech Transmission

H-L-N-R-Park + Handbrake

2WD/4WD with locking front differential

Fixed

nil

Double A-Arm

All 4 wheel hydraulic disc brakes

14 inch alloy

26 inch CST / 6 Ply rating

2980 x 1430 x 1855 mm

1830 mm

280 mm

590 KG

550 KG

230 KG

1200 x 790 x 310 mm

26 L

ROPS Approved Certification ISO 3471:2008

2

Blue

2 year

Yes

Single cylinder, liquid cooled, EFI, 4 stroke engine

495cc

38 HP

46 NM

Bosch EFI

Canadian CVTech Transmission

H-L-N-R-Park + Handbrake

2WD/4WD with locking front differential

Fixed

Electronic Power Steering (EPS)

Double A-Arm

All 4 wheel hydraulic disc brakes

14 inch alloy

26 inch CST / 6 Ply rating

2980 x 1430 x 1855 mm

1830 mm

280 mm

590 KG

550 KG

230 KG

1200 x 790 x 310 mm

26 L

ROPS Approved Certification ISO 3471:2008

2

Blue or Red

2 year

Yes

V-Twin, liquid cooled, EFI, 4 stroke engine

800cc

62 HP

72 NM

Delphi EFI

Canadian CVTech Transmission

H-L-N-R-Park + Handbrake

2WD/4WD with locking front differential

Fixed

Electronic Power Steering (EPS)

Double A-Arm

All 4 wheel hydraulic disc brakes

14 inch alloy

26 inch CST / 6 Ply rating

2980 x 1430 x 1855 mm

1830 mm

280 mm

590 KG

550 KG

230 KG

1200 x 790 x 310 mm

26 L

ROPS Approved Certification ISO 3471:2008

2

Blue or Red

2 year

Yes

V-Twin, liquid cooled, EFI, 4 stroke engine

962.6cc

71 HP

74 NM

Bosch EFI with fly by wire accelerator

Canadian CVTech Transmission

H-L-N-R-Park + Handbrake

2WD/4WD with locking front differential

Limited Slip Differential (LSD)

Electronic Power Steering (EPS)

Double A-Arm

All 4 wheel hydraulic disc brakes

14 inch alloy

27 inch CST / 8 Ply rating

2945 x 1615 x 1850 mm

2050 mm

293 mm

690 KG

800 KG

350 KG

1340 X 863 X 293 mm

40 L

ROPS Approved Certification ISO 3471:2008

3

Blue or Silver\*

3 year

Yes

\*Silver is available at an additional cost

V-Twin, liquid cooled, EFI, 4 stroke engine

962.6cc

71 HP

74 NM

Bosch EFI with fly by wire accelerator

Canadian CVTech Transmission

H-L-N-R-Park + Handbrake

2WD/4WD with locking front differential

Limited Slip Differential (LSD)

Electronic Power Steering (EPS)

Double A-Arm

All 4 wheel hydraulic disc brakes

14 inch alloy

27 inch CST / 8 Ply rating

2945 x 1615 x 1850 mm

2050 mm

293 mm

690 KG

800 KG

350 KG

1340 X 863 X 293 mm

40 L

ROPS Approved Certification ISO 3471:2008

3

Camo

3 year

Yes

V-Twin, liquid cooled, EFI, 4 stroke engine

962.6cc

80 HP

82 NM

Bosch EFI with fly by wire accelerator

Canadian CVTech Transmission

H-L-N-R-Park + Handbrake

2WD/4WD with locking front differential

Fixed

Electronic Power Steering (EPS)

Double A-Arm

All 4 wheel hydraulic disc brakes

14 inch alloy

27 inch CST / 8 Ply rating

2870 x 1510 x 1830 mm

2040 mm

310 mm

610 KG

500 KG

260 KG

1340 X 863 X 293 mm

27 L

ROPS Approved Certification ISO 3471:2008

2

Red

12 month

Yes

**400**

**400**  
EPSLE

**520**  
EPS

**520**  
EPSFARMSPEC

**600**  
EPS

**850**  
EPS

**1000**  
EPS

 Single cylinder, liquid cooled, EFI,  
4 stroke engine

400cc

30 HP

33 NM

Bosch EFI

Canadian CVTech Transmission

H-L-N-R-Park

 2WD/4WD with locking front  
differential

Fixed

nil

Double A-Arm

Hydraulic disc brakes

12 inch steel

24 inch CST 4 Ply rating

2100 x 1100 x 1150 mm

1260 mm

240 mm

345 KG

350 KG

35 KG front / 70 KG rear

15 L

1

Blue

2 year

Yes

 Single cylinder, liquid cooled, EFI,  
4 stroke engine

400cc

30 HP

33 NM

Bosch EFI

Canadian CVTech Transmission

H-L-N-R-Park

 2WD/4WD with locking front  
differential

Fixed

Electronic Power Steering (EPS)

Double A-Arm

Hydraulic disc brakes

12 inch alloy

24 inch CST 4 Ply rating

2100 x 1100 x 1150 mm

1260 mm

240 mm

345 KG

350 KG

35 KG front / 70 KG rear

15 L

1

Blue or Red

2 year

Yes

 Single cylinder, liquid cooled, EFI,  
4 stroke engine

495cc

38 HP

46 NM

Bosch EFI

Canadian CVTech Transmission

H-L-N-R-Park

 2WD/4WD with locking front  
differential

Fixed

Electronic Power Steering (EPS)

Double A-Arm

Hydraulic disc brakes

12 inch alloy

25 inch INNOVA 6 Ply rating

2100 x 1100 x 1150 mm

1260 mm

250 mm

360 KG

350 KG

35 KG front / 70 KG rear

18 L

1

Red

2 year

Yes

 Single cylinder, liquid cooled, EFI,  
4 stroke engine

495cc

38 HP

46 NM

Bosch EFI

Canadian CVTech Transmission

H-L-N-R-Park

 2WD/4WD with locking front  
differential

Fixed

Electronic Power Steering (EPS)

Double A-Arm

Hydraulic disc brakes

12 inch alloy

25 inch INNOVA 6 Ply rating

2100 x 1100 x 1150 mm

1260 mm

250 mm

360 KG

350 KG

35 KG front / 70 KG rear

18 L

1

Blue

2 year

Yes

 Single cylinder, liquid cooled, EFI,  
4 stroke engine

580cc

40 HP

49 NM

Bosch EFI

Canadian CVTech Transmission

H-L-N-R-Park

 2WD/4WD with locking front  
differential

Locking rear differential

Electronic Power Steering (EPS)

Double A-Arm

All 4 wheel hydraulic disc brakes

12 inch alloy

25 inch CST 6 Ply rating

2290 x 1160 x 1400 mm

1480 mm

270 mm

375 KG

350 KG

228 KG

18 L

2

Orange or Camo

2 year

Yes

 V-Twin, liquid cooled, EFI,  
4 stroke engine

800cc

64 HP

72 NM

Delphi EFI

Canadian CVTech Transmission

H-L-N-R-Park

 2WD/4WD with locking front  
differential

Open rear differential

Electronic Power Steering (EPS)

Double A-Arm

All 4 wheel hydraulic disc brakes

14 inch alloy

26 inch CST 6 Ply rating

2310 x 1250 x 1420 mm

1480 mm

290 mm

430 KG

450 KG

280 KG

30 L

2

Orange or Camo

2 year

Yes

 V-Twin, liquid cooled, EFI,  
4 stroke engine

962.6cc

80 HP

82 NM

Bosch EFI

Canadian CVTech Transmission

H-L-N-R-Park

 2WD/4WD with locking front  
differential

Limited Slip Differential (LSD)

Electronic Power Steering (EPS)

Double A-Arm

All 4 wheel hydraulic disc brakes

14 inch alloy

27 inch CST 8 Ply rating

2395 x 1264 x 1420 mm

1480 mm

285 mm

490 KG

450 KG

280 KG

30 L

2

Orange or Camo

2 year

Yes

CFMOTO is distributed in Australia by Mojo Motorcycles. While Mojo Motorcycles have tried to make this catalogue as comprehensive and factual as possible, there may be instances where, since the time of printing, information has been updated on products. Please be advised that the equipment shown or described in this catalogue may have been changed and/or is available at extra cost. Further, Mojo Motorcycles, reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models. CFMOTO Dealers have access to current vehicle information and should be consulted with before making decisions on your new CFMOTO vehicle. Warranties offered for CFMOTO products are subject to the conditions set out in all vehicle handbooks and supplement handbooks. Details are also available from CFMOTO upon request. Always wear an approved helmet, eye protection, long sleeved shirt, long trousers, gloves and boots while riding.

CFMoto is distributed in Australia by Mojo Motorcycles  
401 Grieve Parade, Altona North, Victoria, 3030

RECOMMENDED LUBRICANT  
**MOTUL**

**CFMOTO**  
FINANCE

**CFMOTO**  
cfmoto.com.au